Item No. 633S Landgrading

Previous Versions: 3/27/00; 4/17/86

#### 633S.1 Description

This item shall govern reshaping the existing topography in accordance with the Drawings and Standard Detail 633S-1, "Landgrading". The purpose of landgrading is to provide for erosion control and vegetation establishment on those areas where the existing topography is to be reshaped by grading.

This specification is applicable for projects or work involving either inch-pound or SI units. Within the text, the inch-pound units are given preference followed by SI units shown within parentheses.

#### 633S.2 Submittals

The submittal requirements for this specification item shall include:

- A. Sediment control plan
- B. Seeding plan including:
  - 1. Identification of the type, source, mixture, pure live seed (PLS) and rate of application of the seeding,
  - 2. Type of mulch,
  - 3. Type of tacking agent, and
  - 4. Type and rate of application of fertilizer.

#### 633S.3 Materials

A. Seeding

Seeding shall conform to Item No. 604S, "Seeding for Erosion Control".

B. Pipe Underdrains

Pipe underdrains shall conform to Item No. 551, "Pipe Underdrains".

## 633S.4 Construction Methods

All sediment control practices and measures shall be constructed and in place before proceeding with the construction of "Landgrading". The sediment control practices and measures shall be maintained in accordance with the sediment control plan. Topsoil and fill materials, which are stripped for the establishment of vegetation, shall be stockpiled in amounts necessary to complete finished grading of all exposed areas. Temporary stockpiles, borrow areas and permitted spoil areas shall be shown on the Drawings and no other areas shall be used for these purposes. Cleared areas, that are to receive fill materials, shall be grubbed to remove trees, vegetation, roots and other objectionable material as required by Standard Specification Item No. 102S, "Clearing and Grubbing". Seeps or springs encountered during construction shall be intercepted and diverted to a

633S 11/26/01 Page 1 Landgrading (LG)

# PRESENT VERSION: November 26, 2001 City of San Marcos Adopted 05/15/2014

pipe underdrain conforming to Standard Specification Item No. 551, "Pipe Underdrains" and Standard Detail No. 551-1.

Previous Versions: 3/27/00; 4/17/86

Except for approved landfills, fill material shall be free of brush, rubbish, rocks, logs, stumps, building debris and other objectionable materials that would interfere with or prevent construction of satisfactory fills. All fills shall be compacted as required by the Drawings and Standard Detail 633S-1 to reduce erosion, slippage, settlement, subsidence or other related problems. Fill intended to support buildings, structures and conduits, etc., shall be compacted in accordance with Standard Specification Item No. 132S, "Embankment". All graded areas shall be permanently stabilized and seeded immediately following finished grading.

#### 633S.5 Measurement

Acceptable work performed as prescribed by this item will be measured by either square feet (square meters: 1 square meter equals 1.196 square feet) or acres (hectares; 1 hectare equals 2.471 acres) of the area to be graded, which will include stabilization and groundcover re-establishment.

### 633S.6 Payment

Work performed and material furnished for this item will be paid for at the unit bid price per square foot or acre of the area graded. Pipe Underdrains, when required, will be paid for in accordance with Item No. 551, "Pipe Underdrains".

Payment will be made under:

Pay Item No. 633S-A:LandgradingPer Square Foot.Pay Item No. 633S-B:LandgradingPer Acre.

#### End

### **SPECIFIC** CROSS REFERENCE MATERIALS

Specification 633S, "Landgrading (LG)"

# City of Austin Standard Details

Designation Description
Number 633S-1 Landgrading

## City of Austin Standard Specifications

<u>Designation</u> <u>Description</u>

Item No. 102S Clearing and Grubbing

Item No. 132S Embankment Item No. 551 Pipe Underdrains

Item No. 604S Seeding for Erosion Control

633S 11/26/01 Page 2 Landgrading (LG)

# PRESENT VERSION: November 26, 2001

City of San Marcos Adopted 05/15/2014

Previous Versions: 3/27/00; 4/17/86

# **RELATED** CROSS REFERENCE MATERIALS

Specification 633S, "Landgrading (LG) "

## City of Austin Standard Specifications

Designation **Description** 

Item No. 101S Preparing Right of Way

Excavation Item No. 111S

Item No. 120S Channel Excavation

Item No. 602S Sodding for Erosion Control Soil Retention Blanket Item No. 605S

Item No. 606S Fertilizer Item No. 608S Planting

Item No. 610S Preservation of Trees and Other Vegetation

Item No. 620S Filter Fabric

## Texas Department of Transportation: Standard Specifications for Construction and

# Maintenance of Highways, Streets, and Bridges

<u>Designation</u>	Description
Item No. 100	Preparing Right of Way
Item No. 110	Excavation
Item No. 132	Embankment
Item No. 158	Specialized Excavation Work

Item No. 166 Fertilizer

Item No. 168 Vegetative Watering Item No. 169 Soil Retention Blanket

Item No. 204 Sprinkling

633S 11/26/01 Page 3 Landgrading (LG)