



**CITY OF SAN MARCOS
STANDARD PRODUCTS LIST**

SPL No. WW-227E

Sheet 1 of 1

for

PVC GRAVITY SEWER PIPE - 160 PSI (6 INCH AND GREATER)

ISSUED: 09/27/2017

REVISED: 02/10/2020

DESCRIPTION: Pipe, polyvinyl chloride (PVC) gravity sewer 6" and greater in diameter meeting ASTM D2241-09 with a pressure rating of 160 psi. (10" diameter pipe to be used for repairs only.)

APPROVAL DATE	MANUFACTURER	PRODUCT IDENTIFICATION/COMMENT
2/10/2020	NAPCO 2801 Post Oak Blvd, Suite 600 Houston, Texas 77056 (AKA: Royal Building Products OR Plastic Trends, Inc)	SDR 26 See notes below
9/27/2017	PIPELIFE-JET STREAM PLASTIC PIPE CO. P.O. Box 190 Siloam Springs, AR 72761	SDR 26 See notes below
9/27/2017	MODERN PRODUCTS INDUSTRIES, INC. 100 Industrial Blvd. Beeville, TX 78102	SDR 26 6" and 8" diameter only See notes below
9/27/2017	CANTEX INC. P.O. Box 340 Mineral Wells, TX 76067	SDR 26 See notes below
9/27/2017	CHARLOTTE PLASTICS DIVISION P.O. Box 1339 Monroe, NC 28110	SDR 26 See notes below
9/27/2017	CERTAINTED CORPORATION P.O. Box 860 Valley Forge, PA 19482	SDR 26 See notes below
9/27/2017	JM EAGLE (Formerly Uponor ETI or Extrusion Technologies, Inc. or PW Eagle or J-M Pipe Manufacturing) Nine Peach Tree Hill Road Livingston, NJ 07039	SDR 26 See notes below
9/27/2017	DIAMOND PLASTICS CORP. 1212 Johnstown Road Grand Island, NE 68802-1608	SDR 26 or less See notes below
9/27/2017	VINYLPLEX, INC. 1800 Atkinson Ave. Pittsburg, KS 66762	SDR 26 See notes below
9/27/2017	NORTHERN PIPE PRODUCTS 1309 39th Street NW Fargo, ND 58102	SDR 26 See notes below
9/27/2017	VINYLTECH CORPORATION 201 South 61st Avenue Phoenix, AZ 85043	SDR 26 See notes below

NOTE:

1. Deflection testing is required and shall be conducted after final backfill has been in place at least 30 days. A rigid mandrel shall be used. Mandrel sizes per COSM Detail 510S-PM-SM